



































- | | | | | | |
|---|--|---|----------------------------|---|------------------------------|
|  | Immersion Well & Froling Temp Probe |  | Pressure/Temperature Gauge |  | Froling Strap-on Temp Sensor |
|  | Caleffi DIRTMAG Dirt Separator with Magnet |  | PRV (30 PSI) |  | Circulator |
|  | Caleffi Discal Air Separator |  | Low Water Cut-Off |  | Motorized Mixing Valve |
| | | | |  | Caleffi Auto-fill Combo |















- | | | | | | |
|---|--|---|----------------------------|---|------------------------------|
|  | Immersion Well & Froling Temp Probe |  | Pressure/Temperature Gauge |  | Froling Strap-on Temp Sensor |
|  | Caleffi DIRTMAG Dirt Separator with Magnet |  | PRV (30 PSI) |  | Circulator |
|  | Caleffi Discal Air Separator |  | Low Water Cut-Off |  | Motorized Mixing Valve |
| | | | |  | Caleffi Auto-fill Combo |














- | | | | | | |
|---|--|---|----------------------------|---|------------------------------|
|  | Immersion Well & Froling Temp Probe |  | Pressure/Temperature Gauge |  | Froling Strap-on Temp Sensor |
|  | Caleffi DIRTMAG Dirt Separator with Magnet |  | PRV (30 PSI) |  | Circulator |
|  | Caleffi Discal Air Separator |  | Low Water Cut-Off |  | Motorized Mixing Valve |
| | | | |  | Anti-scald valve |
| | | | |  | Caleffi Auto-fill Combo |



- | | | | | | |
|---|--|---|----------------------------|---|------------------------------|
|  | Immersion Well & Froling Temp Probe |  | Pressure/Temperature Gauge |  | Froling Strap-on Temp Sensor |
|  | Caleffi DIRTMAG Dirt Separator with Magnet |  | PRV (30 PSI) |  | Circulator |
|  | Caleffi Discal Air Separator |  | Low Water Cut-Off |  | Motorized Mixing Valve |
| | | | |  | Caleffi Auto-fill Combo |





- | | | | | | |
|---|--|---|----------------------------|---|------------------------------|
|  | Immersion Well & Froling Temp Probe |  | Pressure/Temperature Gauge |  | Froling Strap-on Temp Sensor |
|  | Caleffi DIRTMAG Dirt Separator with Magnet |  | PRV (30 PSI) |  | Circulator |
|  | Caleffi Discal Air Separator |  | Low Water Cut-Off |  | Motorized Mixing Valve |
| | | | |  | Caleffi Auto-fill Combo |